

ELECTRIC MOTORS IN BELARUS

HEAT GENERATORS WORKING ON LIQUID AND GAS ТГЖ-0,18; ТГЖ-0,29; ТГГ-0,18; ТГГ-0,29

Intended for heating the poultry farms, shops, hangars, application as the heating unit in drying ovens.

Power, kW 180 and 290
Volume of the heated air, cubic m/h 17000
Pressure of the heated air at the discharge, Pa 320
Efficiency factor, % 91,5
Double-stepped power adjustment.

MANUFACTURER : BRESTSELMASH PLANT
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

ТГ-Т-100 SOLID-FUEL HEAT GENERATOR

Designed for air heating and ventilation in buildings and structures of stock-raising and poultry farms and complexes, hothouses as well as for desiccation of wood, grain and other agricultural production.

Thermal capacity, kW 100
Efficiency, % 85
Weight, kg 400
Overall dimensions, mm 1800x850x1900

MANUFACTURER : MOZYR PLANT OF AGRICULTURAL MACHINERY INDUSTRY REPUBLICAN UNITARY ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

ТГ-Φ-1,5А / ТГ-Φ-1,5А-01 HEAT GENERATORS

Designed for air heating and ventilation in agricultural and other production enterprises.

Rated power, kW 175
Efficiency, % 91
Weight, kg 550
Overall dimensions, mm 2215x1500x1300

MANUFACTURER : MOZYR PLANT OF AGRICULTURAL MACHINERY INDUSTRY REPUBLICAN UNITARY ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

ТГ-Φ-1,5Б / ТГ-Φ-1,5Б-01 HEAT GENERATORS

Designed for air heating and ventilation in agricultural and other production enterprises.

Rated power, kW 175
Efficiency, % 91
Weight, kg 580
Overall dimensions, mm 2250x1500x1300

MANUFACTURER : MOZYR PLANT OF AGRICULTURAL MACHINERY INDUSTRY REPUBLICAN UNITARY ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

ТГ-Ф-1,5Б-02 / ТГ-Ф-1,5Б-03 HEAT GENERATORS

Designed for air heating and ventilation in agricultural and other production enterprises.

Rated power, kW 175
Efficiency, % 91
Weight, kg 70
Overall dimensions, mm 2850x1500x1300

MANUFACTURER : MOZYR PLANT OF AGRICULTURAL MACHINERY INDUSTRY REPUBLICAN UNITARY ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

P71 MANUAL PULSE GENERATOR

Designed to be used complete with electric system of Class 125 cm³ motorcycles and with a set of spares.

Voltage rating, V 14
Power rating, W 90
Rotational speed range, rpm 300-8000

MANUFACTURER : ETON NOVOLUKOML PLANT, OPEN JOINT-STOCK COMPANY
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

FUNCTIONAL GENERATOR Г6-43

Intended for forming the signals of the sinusoidal, triangular and rectangular shape at the research and tests of systems and devices.

Frequency range with the even adjustment of frequency, kHz 0,01-10000
Maximum voltage of the output signal, V
- at operation for the agreed load of 600 Ohms 10
- at operation on the idle running 20
Power consumption, W not exceeding 15
Mass, kg 1,8

MANUFACTURER : MNIPI JOINT-STOCK COMPANY
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

32.3771 GENERATOR

Designed to operate as a power source for electric equipment system of GAZ and VAZ vehicles.

Power rating, W 242
Voltage rating, V 14
Current, A 90
Weight, kg 5.2

MANUFACTURER : BORISOV CAR AND TRACTOR ELECTRICAL EQUIPMENT PLANT JSC
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

LASER GENERATOR OF IMAGES ЭМ-5009БМ

Intended for making metallized intermediate photo originals at production of various integrated circuits, photoelectronic converters, liquid crystal indicators, photo templates, special measuring and test templates both in production and for the research purposes.

Size of the working field, mm 150x150
Sizes of the setting component, mcm 2-300
Error of positioning of the coordinate table, mcm +0,35
Output (at regular structures), mln/h by 1,5

MANUFACTURER : KBTEM-OMO REPUBLICAN UNITARY SCIENTIFIC AND PRODUCTION ENTERPRISE, "PLANAR" CONCERN
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

MULTICHANNEL LASER GENERATOR OF IMAGES. 3M-5089B

Intended for exposure of metallized photo templates.

Exposure area, mm 200x200
Address grid, nm 25/50
Size of the minimum component, nm 800
Time of exposure of the area having dimensions 100x100, min :
- at discrete character of addressing 25 nm 60
- at discrete character of addressing 50 nm 30
Time of layer formation does not depend on the complexity of its description.
The system of alignment makes it possible to perform exposure in the mode of double masking.

MANUFACTURER : KBTEM-OMO REPUBLICAN UNITARY SCIENTIFIC AND PRODUCTION ENTERPRISE, "PLANAR" CONCERN
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

LASER GENERATOR OF IMAGES 3M-5139

Scanning big-format laser generator of images is intended for manufacture of phototemplates of installation integrated circuits.

Dimensions of the working field, mm 600x700
Size of the light spot, mcm 12,5-25
Address grid, mcm 12,5; 6,25
Minimum dimension of the exposed line, mcm 50
Error in locating the components of topology not exceeding +15
Time of exposure of the photo template (600x700 mm), min:
- at discrete 12,5 mcm 8
- at discrete 25 mcm 32

MANUFACTURER : KBTEM-OMO REPUBLICAN UNITARY SCIENTIFIC AND PRODUCTION ENTERPRISE, "PLANAR" CONCERN
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

CONTACTLESS TRACTOR GENERATORS Г95.3701

Intended for operation as the DC source in the electric equipment of the agricultural machines.

Power, W 700
Voltage, V 14
Parameters of the pulley, mm:
- Др 66,8
- Бр 8,5

MANUFACTURER : RADIOVOLNA GRODNO REPUBLICAN UNITARY INDUSTRIAL ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

CONTACTLESS TRACTOR GENERATORS Г464.3701

Intended for operation as the DC source in the electric equipment of the agricultural machines.

Power, W700
Voltage, V 14
Parameters of the pulley, mm:
- Др 80
- Бр 11

MANUFACTURER : RADIOVOLNA GRODNO REPUBLICAN UNITARY INDUSTRIAL ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

AUTOMOBILE GENERATOR ГГ273 B1

Intended for operation as the DC source in the electric equipment of automobiles.

Power, W1250
Voltage, V 28
Parameters of the pulley, mm:
- Др 74,5
- Бр 8,5

MANUFACTURER : RADIOVOLNA GRODNO REPUBLICAN UNITARY INDUSTRIAL ENTERPRISE
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

MELODY GENERATOR MICROCIRCUITS

Designed for industrial and domestic electronic equipment, electrical equipment, telecommunications, etc.

MANUFACTURER : TRANZISTOR PLANT "INTEGRAL" RESEARCH AND PRODUCTION CORPORATION
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

УГ4-T400 AC GENERATOR INSTALLATION WITH OUTPUT CONTROL EQUIPMENT

Designed to be used complete with diesel and petrol generator sets and ac generating plants.

Power, kW 4,0
Voltage / frequency, V/Hz 400/50
Current, A 7,2
Rotational speed, rpm 3000
Phase count 3

MANUFACTURER : POLESIEELECTROMASH LUNINETS PLANT
Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

INSTALLATION WIRES FOR WATER IMMERSIBLE ELECTRIC MOTORS ВПП

For connection of water immersible electric motors operating for a long time in water of artesian wells to electric circuits for rated voltage 380 V and 660 V.

TY 16.705.077-79
Section, mm² 1,5; 2; 2,5; 3; 4; 5; 6; 8; 10; 16

MANUFACTURER : BELARUSKABEL JOINT-STOCK COMPANY

Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS
Phone : 37-03-13, 37-09-26
Fax : (0212) 37-04-29
E-mail : comintern@tut.by
Http : www.comintern.vitebsk.by

WINDING WIRES FOR IMMERSIBLE ELECTRIC MOTORS ПП-B-80

For winding of stators of immerible water-filled electric motors operated for a long time in water of artesian wells at voltage by 660 V AC with frequency 4-60 Hz.

ТУ ПБ 05756895.015-96

Current conducting wire copper wire

Insulation:

- 1 layer low density polyethylene

- 2 layer high-density polyethylene

Diameter of current conducting wire: 0,56; 0,63; 0,67; 0,75; 0,85; 0,95; 1,06; 1,18; 1,4; 1,6; 1,8; 2; 2,12; 2,36; 2,5; 2,8; 3,18; 3,54; 3,75; 3,96; 4,5; 4,8; 5,3; 5,9; 6,25.

Working temperature, oC from -50 to +80

MANUFACTURER : BELARUSKABEL JOINT-STOCK COMPANY

Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS

Phone : 37-03-13, 37-09-26

Fax : (0212) 37-04-29

E-mail : comintern@tut.by

Http : www.comintern.vitebsk.by

ELECTRIC MOTOR PROTECTION UNIT

It is intended for protection of electric motors against overloads, miss of phases, dissymetry of feeding voltages.

Equipped with current transformers.

Dimensions, mm 200x180x90

Weight, kg 2.5

MANUFACTURER : COMPLEX AUTOMATION MEANS PLANT REPUBLICAN UNITARY ENTERPRISE

Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS

Phone : 37-03-13, 37-09-26

Fax : (0212) 37-04-29

E-mail : comintern@tut.by

Http : www.comintern.vitebsk.by

ASYNCHRONOUS ELECTRIC MOTORS

Intended for the use in appliances of the industrial and household application.

MANUFACTURER : ECRAN SCIENTIFIC PRODUCTIONAL REPUBLICAN UNITARY ENTERPRISE

Address : 1, ZENKOVOI STR., VITEBSK, 210604, REPUBLIC OF BELARUS

Phone : 37-03-13, 37-09-26

Fax : (0212) 37-04-29

E-mail : comintern@tut.by

Http : www.comintern.vitebsk.by